L Numbe	er Hits	Search Text	I DB	Time stamp
-	7078	((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/30 10:28
Í		(DISTRIBUTED adj computing adj environ\$4))	US-PGPUB;	
Í			EPO; JPO;	
Í	ļ		DERWENT;	
İ			IBM_TDB	
-	410		USPAT;	2004/03/29 15:40
i		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
İ		and ((generat\$4 provid\$4 creat\$4) near10	EPO; JPO;	ł
i		(interface)) and (XML (extensible adj markup	DERWENT;	
	50	adj language)) ((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	IBM_TDB USPAT;	2004/03/29 15:39
_		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	2004/03/29 13.39
i		and ((generat\$4 provid\$4 creat\$4) near5	EPO; JPO;	ľ
1		(interface)) and (XML (extensible adj markup	DERWENT;	
1		adj language))) and (subscrib\$4 publish\$4	IBM TDB	
		broadcast\$5 multicast\$5) near2(sevic\$2	-	
		interfac\$4)	1	
-	58	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:27
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((generat\$4 provid\$4 creat\$4) adj	EPO; JPO;	1
		(interface)) and (XML (extensible adj markup	DERWENT;	İ
_	3	adj language))	IBM_TDB	2004/02/20 22 03
-	3	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4)))	USPAT; US-PGPUB;	2004/03/29 13:23
	1	and ((generat\$4 provid\$4 creat\$4) adj	EPO; JPO;	
		(interface)) and (XML (extensible adj markup	DERWENT;	
		adj language))) and (subscrib\$4 publish\$4	IBM TDB	
		broadcast\$5 multicast\$5) adj (sevic\$2		
		interfac\$4)]
-	241	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:27
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	İ
		and ((generat\$4 creat\$4) near5 (interface))	EPO; JPO;	
	ļ	and (XML (extensible adj markup adj	DERWENT;	
_	16	language))	IBM_TDB	0004/00/00 00 00
=	40	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4)))	USPAT; US-PGPUB;	2004/03/29 13:51
		and ((generat\$4 creat\$4) near5 (interface))	EPO; JPO;	
		and (XML (extensible adj markup adj	DERWENT;	ł
		language))) and (subscrib\$4 publish\$4	IBM TDB	
		broadcast\$5 multicast\$5) near5 (sevic\$2		
		interfac\$4)		
-	418	(((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:50
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((download upload push pull) near10	EPO; JPO;	
		(interface script service message (startup	DERWENT;	
-	291	adj program))) 717/178, 172.ccls. and ((download upload	IBM_TDB	2004/02/20 22 22
	291	push pull) near10 (interface script service	USPAT; US-PGPUB;	2004/03/29 13:51
		message (startup adj program)))	EPO; JPO;	
			DERWENT;	
			IBM TDB	•
-	7	(717/178, 172.ccls. and ((download upload	USPAT;	2004/03/29 13:51
		push pull) near10 (interface script service	US-PGPUB;	
		message (startup adj program)))) and	EPO; JPO;	
		(subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
		multicast\$5) near5 (sevic\$2 interfac\$4)	IBM_TDB	
-	80	((((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 13:56
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((generat\$4 provid\$4 creat\$4) near10 (interface)) and (XML (extensible adj markup	EPO; JPO;	
	[adj language))) and (subscrib\$4 publish\$4	DERWENT; IBM_TDB	
		broadcast\$5 multicast\$5) near10 (sevic\$2	100 100	
]	interfac\$4)		
-	4513	((generat\$4 provid\$4 creat\$4 push pull)	USPAT;	2004/03/29 14:10
		near5 (interface)) and (XML (extensible adj	US-PGPUB;	
		markup adj language))	EPO; JPO;	
			DERWENT;	
	l l			

Page 1

			<u> </u>	
-	3688	((generat\$4 provid\$4 creat\$4 push pull) near3 (interface)) and (XML (extensible adj	USPAT; US-PGPUB;	2004/03/29 14:10
		markup adj language))	EPO; JPO;	
			DERWENT; IBM TDB	
_	689	((generat\$4 provid\$4 creat\$4 push pull) adj	USPAT;	2004/03/29 14:10
		(interface)) and (XML (extensible adj markup	US-PGPUB;	
		adj language))	EPO; JPO;	
			DERWENT; IBM TDB	
-	122	(((generat\$4 provid\$4 creat\$4 push pull) adj	USPAT;	2004/03/29 14:12
		(interface)) and (XML (extensible adj markup	US-PGPUB;	
		adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2	EPO; JPO;	
		interfac\$4)	DERWENT; IBM TDB	
-	198	(((generat\$4 provid\$4 creat\$4 push pull) adj	USPAT;	2004/03/29 14:55
		(interface)) and (XML (extensible adj markup	US-PGPUB;	
		adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2	EPO; JPO; DERWENT;	
		interfac\$4 event\$1 message\$3)	IBM TDB	
-	120	,,,	USPAT;	2004/03/29 15:00
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and (platform near10 independen\$4) and (message near10 (pass\$4provid\$4 process\$4))	EPO; JPO; DERWENT;	
		,a.g	IBM_TDB	
-	51		USPAT;	2004/03/29 15:00
		(DISTRIBUTED adj computing adj environ\$4))) and (platform near10 independen\$4) and	US-PGPUB; EPO; JPO;	
1		(message near10 (pass\$4provid\$4 process\$4)))	DERWENT;	
		and ((generat\$4 provid\$4 creat\$4) near10	IBM_TDB	
		(interface)) and (XML (extensible adj markup adj language))		
-	2		USPAT;	2004/03/29 15:40
		* * * * * * * * * * * * * * * * * * *	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-	2	6418448.pn. and ((generat\$4 provid\$4	USPAT;	2004/03/29 15:40
		creat\$4) near10 (interface)) and (XML	US-PGPUB;	
		(extensible adj markup adj language))	EPO; JPO; DERWENT;	
			IBM TDB	
-	69	,,,,	USPAT;	2004/03/29 15:48
		(DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near10	US-PGPUB;	
		(interface)) and (XML (extensible adj markup	EPO; JPO; DERWENT;	
		adj language))) and (subscrib\$4 publish\$4	IBM_TDB	
	}	broadcast\$5 multicast\$5) near5 (sevic\$2]	
_	343	interfac\$4) (((DISTRIBUTED ADJ DATA ADJ PROCESS\$4)	USPAT;	2004/03/29 15:50
		(CDISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	2004/03/29 13:30
		and ((generat\$4 provid\$4 creat\$4) near5	EPO; JPO;	İ
		<pre>(interface)) and (XML (extensible adj markup adj language))</pre>	DERWENT;	
-	57	• • • •	IBM_TDB USPAT;	2004/03/30 08:24
		(DISTRIBUTED adj computing adj environ\$4)))	US-PGPUB;	
		and ((generat\$4 provid\$4 creat\$4) near5	EPO; JPO;	
		<pre>(interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4</pre>	DERWENT; IBM TDB	
	1	broadcast\$5 multicast\$5) near5 (sevic\$2	15155	
	2500	interfac\$4)		
_	2529	709/200, 201.ccls. and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML	USPAT; US-PGPUB;	2004/03/30 10:29
		(extensible adj markup adj language))) and	EPO; JPO;	
		(subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
_	2520	multicast\$5) near5 (sevic\$2 interfac\$4)	IBM_TDB	0004/00/00 00
]	2529	709/200, 201.ccls. and (((generat\$4 provid\$4 creat\$4) near2 (interface)) and (XML	USPAT; US-PGPUB;	2004/03/30 09:49
		(extensible adj markup adj language))) and	EPO; JPO;	
		(subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
	Li	multicast\$5) near2(sevic\$2 interfac\$4)	IBM_TDB	

-	2529		USPAT;	2004/03/30 08:26
		creat\$4) adj (interface)) and (XML	US-PGPUB;	
		(extensible adj markup adj language))) and	EPO; JPO;	
		(subscrib\$4 publish\$4 broadcast\$5 multicast\$5) adj(sevic\$2 interfac\$4)	DERWENT; IBM TDB	
_	2529		USPAT;	2004/03/30 08:28
	2323	creat\$4) adj (interface)) and (XML	US-PGPUB;	2004,03,30 00.20
		(extensible adj markup adj language)) and	EPO; JPO;	
		((subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
		multicast\$5) adj(sevic\$2 interfac\$4))	IBM TDB	
-	15	(709/200, 201.ccls.) and (((generat\$4	USPAT;	2004/03/30 09:10
		provid\$4 creat\$4) near5 (interface)) and	US-PGPUB;	
		(XML (extensible adj markup adj language)))	EPO; JPO;	
		and (subscrib\$4 publish\$4 broadcast\$5	DERWENT;	
		multicast\$5) near5 (sevic\$2 interfac\$4)	IBM_TDB	
-	57	(709/200, 201.ccls.) and (((generat\$4	USPAT;	2004/03/30 09:45
		provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language)))	US-PGPUB; EPO; JPO;	
		(And textensible adj markup adj language)))	DERWENT;	
			IBM_TDB	
-	2	6658625.pn.	USPAT;	2004/03/30 09:22
	[US-PGPUB;	-001, 03, 00 03.22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1888	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/03/30 10:16
		(XML (extensible adj markup adj language)))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		////	IBM_TDB	2224/22/22
-	0	,,,,,	USPAT;	2004/03/30 10:10
]		and (XML (extensible adj markup adj	US-PGPUB;	!
]		language)))) and (subscrib\$4 publish\$4 broadcast\$5) near2(sevic\$2)	EPO; JPO; DERWENT;	
		bloadcast\$3) heat2(sevic\$2)	IBM TDB	
_	0	((((generat\$4 creat\$4) near2 (interface))	USPAT;	2004/03/30 09:49
l	_	and (XML (extensible adj markup adj	US-PGPUB;	2001, 03, 30 03.13
		language)))) and (subscrib\$4 publish\$4)	EPO; JPO;	
		near2(sevic\$2)	DERWENT;	
			IBM_TDB	
-	6		USPAT;	2004/03/30 10:09
		near2(sevic\$2	US-PGPUB;	1
			EPO; JPO;	
			DERWENT;	
_	0	((((generat\$4 creat\$4) near2 (interface))	IBM_TDB USPAT;	2004/02/20 20 20
	0	and (XML (extensible adj markup adj	US-PGPUB;	2004/03/30 10:10
		language)))) and (publish\$4 broadcast\$5)	EPO; JPO;	
		near2(sevic\$2)	DERWENT;	
			IBM TDB	
-	15		USPAT;	2004/03/30 10:13
		and (XML (extensible adj markup adj	US-PGPUB;	
		language)))) and (Event adj handler) and	EPO; JPO;	
		(call adj back)	DERWENT;	
	ا ند	//n	IBM_TDB	
-	0	((Event adj handler) and (call adj back))	USPAT;	2004/03/30 10:13
		and (servic\$4 near10 plublish)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u>-</u>	118	(Event adj handler) and (call adj back)	<pre>IBM_TDB USPAT;</pre>	2004/03/30 10:29
	110	(11-11-12 ad) handler, and (call ad) back)	US-PGPUB;	2004/03/30 10:29
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	25	((Event adj handler) and (call adj back))	USPAT;	2004/03/30 10:25
		and (XML (extensible adj markup adj	US-PGPUB;	
		language))	EPO; JPO;	
			DERWENT;	
	l		IBM TDB	<u> </u>

			7"	
•	0	((Event adj handler) and (call adj back)) and (event adj endpoint)	USPAT; US-PGPUB;	2004/03/30 10:25
		and (event ad) endpoint/	EPO; JPO; DERWENT; IBM TDB	
-	2529	709/200, 201.ccls. and ((Event adj handler) and (call adj back))	USPAT; US-PGPUB; EPO; JPO;	2004/03/30 10:26
-	3	(709/200,201.ccls.) and ((Event adj handler) and (call adj back))	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/03/30 10:26
			EPO; JPO; DERWENT; IBM_TDB	
-	8294	(709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/30 10:29
-	0	(((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:30
	76	multicast\$5) near5 (sevic\$2 interfac\$4)) and(Event adj handler) and (event adj endpoint) ((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ	USPAT;	2004/03/30 10:45
	,,	PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and (((generat\$4 provid\$4 creat\$4) near5 (interface)) and (XML (extensible adj markup adj language))) and (subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2001, 03, 30 10113
-	76	(((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5 (interface)) and ((subscrib\$4 publish\$4 broadcast\$5 multicast\$5) near5 (sevic\$2 interfac\$4))) and (XML (extensible adj markup adj	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 10:45
-	195	language)) ((709/201.ccls.)((DISTRIBUTED ADJ DATA ADJ PROCESS\$4) (DISTRIBUTED adj computing adj environ\$4))) and ((generat\$4 provid\$4 creat\$4) near5 (interface)) and ((subscrib\$4 publish\$4 broadcast\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/30 16:47
-	2	multicast\$5) near5 (sevic\$2 interfac\$4)) 6405266.pn.	USPAT; US-PGPUB; EPO; JPO;	2004/03/30 16:48
-	2	6289382.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/30 16:48